


H2 REFLECTED CEILING PLAN
SCALE: 1/8" = 1'-0"



A2 PLAN
SCALE: 1/8" = 1'-0"

GENERAL NOTES

1. FIELD VERIFY ALL DIMENSIONS. NOTIFY ARCHITECT/OWNER OF ANY DEVIATION FROM THE EXISTING CONDITION INFORMATION SHOWN IN THESE DRAWINGS.
2. LIGHTLY CLEAN ALL STONE SURFACES.

GENERAL CODE INFORMATION - EXISTING BUILDING

OCCUPANCY:
GROUP A-3 OCCUPANCY

AREAS:
GROUND FLOOR - 3,243 SF

OCCUPANT LOAD:
WEST ASSEMBLY (617sf @ 15NET) - 42
CATERING (242sf @ 200 NET) - 2
EAST ASSEMBLY (1300sf @ 15 NET) - 87
COVERED PICNIC (550sf @ 15 NET) - 37

TOTAL - 168



PER SECTION 903.2.1.3 BUILDING NOT REQUIRED TO BE SPRINKLERED AS FIRE AREA IN LESS THAN 12,000sf AND OCCUPANT LOAD LESS THAN 300.

RCP LEGEND


- SUSPENDED, LINEAR FLUORESCENT
- ABUSE RESISTANT, SURFACE MOUNTED FLUORESCENT
- RECESSED CAN, COMPACT FLUORESCENT
- WALL MOUNTED FLUORESCENT
- ABUSE RESISTANT, SURFACE MOUNTED FLUORESCENT
- SUSPENDED, LINEAR FLUORESCENT
- WALL MOUNTED, LINEAR FLUORESCENT

KEYNOTES


- CONCRETE TENT SLAB - BROOM FINISH
- CAREFULLY DEMO EXISTING RAISED CONCRETE SLAB TO EXPOSE ORIGINAL STONE SURFACE
- FUR OUT EXISTING WALLS WITH 1 1/2" METAL STUDS, ATTACH 5/8" MOISTURE AND ABUSE RESISTANT GYPSUM BOARD AND APPLY EPOXY PAINT. METAL STUDS SHALL NOT BE ATTACHED TO EXISTING WALL - ATTACH ONLY TO NEW CONCRETE FLOOR AND CEILING ABOVE.
- INSTALL NEW LOG AND WOOD CEILING TO MATCH EXISTING
- REMOVE DETERIORATED TIMBERS AND REPLACE WITH NEW TO MATCH EXISTING. FINISH TO MATCH ADJACENT
- SEE A5/A3.0 FOR EXISTING TRUSS WORK, TYPICAL
- CLEAN AND SEAL EXISTING WOOD CEILING




A1 FLOOR FINISH PLAN
SCALE: NO SCALE




A2 ENLARGED PLAN
SCALE: 1/4" = 1'-0"




H9 INTERIOR ELEVATION
SCALE: 1/4" = 1'-0"




H12 INTERIOR ELEVATION
SCALE: 1/4" = 1'-0"



F9 INTERIOR ELEVATION
SCALE: 1/4" = 1'-0"




F12 INTERIOR ELEVATION
SCALE: 1/4" = 1'-0"



A9 ENLARGED PLAN
SCALE: 1/4" = 1'-0"

KEYNOTES

- 1 CONCRETE TENT SLAB - BROOM FINISH
- 2 CAREFULLY DEMO EXISTING RAISED CONCRETE SLAB TO EXPOSE ORIGINAL STONE SURFACE
- 3 FUR OUT EXISTING WALLS WITH 1/2" METAL STUDS, ATTACH 5/8" MOISTURE AND ABUSE RESISTANT GYPSUM BOARD AND APPLY EPOXY PAINT. METAL STUDS SHALL NOT BE ATTACHED TO EXISTING WALL - ATTACH ONLY TO NEW CONCRETE FLOOR AND CEILING ABOVE.
- 4 INSTALL NEW LOG AND WOOD CEILING TO MATCH EXISTING
- 5 REMOVE DETERIORATED TIMBERS AND REPLACE WITH NEW TO MATCH EXISTING. FINISH TO MATCH ADJACENT
- 6 SEE A5/A3.0 FOR EXISTING TRUSS WORK, TYPICAL
- 7 CLEAN AND SEAL EXISTING WOOD CEILING




Openings Schedule													
No.	Type	Size			Material	Finish	Glass		Hardware Group	Frame		Fire Rating	NOTES
		Wide	High	Thick			Type	Width		Material	Finish		
1	E	3'-0"	8'-0"	1-3/4"	HM	PNT	-	-	-	HM	PNT	-	
2	E	3'-0"	8'-0"	1-3/4"	HM	PNT	-	-	-	HM	PNT	-	
3	E	3'-0"	8'-0"	1-3/4"	HM	PNT	-	-	-	HM	PNT	-	
4	F	6'-0"	8'-0"	1-3/4"	HM	PNT	-	-	-	HM	PNT	-	APPLY CEDAR SIDING TO EXTERIOR - NO EXTERIOR HARDWARE
5	D	3'-0"	7'-0"	1-3/4"	WD	STN	FT	-	-	WD	STN	-	
6	A	3'-0"	7'-0"	1-3/4"	WD	STN	FT	-	-	WD	STN	-	
7	C	3'-0"	7'-0"	1-3/4"	WD	STN	FT	-	-	WD	STN	-	
8	C	3'-0"	7'-0"	1-3/4"	WD	STN	FT	-	-	WD	STN	-	NO EXTERIOR HARDWARE - SECURE IN CLOSED POSITION
9	B	3'-0"	7'-0"	1-3/4"	WD	STN	FT	-	-	WD	STN	-	
10	B	3'-0"	7'-0"	1-3/4"	WD	STN	FT	-	-	WD	STN	-	
11	-	-	-	-	-	-	-	-	-	WD	STN	-	FRAME OPENING ONLY
12	C	3'-0"	7'-0"	1-3/4"	WD	STN	FT	-	-	WD	STN	-	
13	-	-	-	-	-	-	-	-	-	WD	STN	-	FRAME OPENING ONLY
14	C	3'-0"	7'-0"	1-3/4"	WD	STN	FT	-	-	WD	STN	-	


LEGEND:

- FT FULLY TEMPERED GLASS
- HM HOLLOW METAL
- HPC HIGH PERFORMANCE COATING
- PNT PAINT
- STN STAINED
- WD WOOD



NOTE: FIELD VERIFY ALL EXISTING OPENING DIMENSIONS




H11 SOUTH ELEVATION / SECTION
SCALE: 1/8" = 1'-0"




F11 EAST ELEVATION
SCALE: 1/8" = 1'-0"




D8 NORTH ELEVATION
SCALE: 1/8" = 1'-0"



A1 WEST ELEVATION
SCALE: 1/8" = 1'-0"



A8 SOUTH ELEVATION
SCALE: 1/8" = 1'-0"





REMOVE DETERIORATED TIMBER MEMBERS AT CEILING AND REPLACE WITH NEW TO MATCH EXISTING. SEAL/FINISH TO MATCH ADJACENT ORIGINAL MATERIAL.


LIGHTLY CLEAN EXISTING WOOD CEILING AND SEAL.

J2 IMAGE
SCALE: NO SCALE



REPAIR EXISTING CRACK - MORTAR SHALL MATCH EXISTING IN COLOR AND HARDNESS - SEE MORTAR ANALYSIS SPECS. FINISH TO MATCH ADJACENT TEXTURE AND APPEARANCE.

J5 IMAGE
SCALE: NO SCALE



REPLACING A RAFTER IN SEGMENTS.

J9 TYPICAL LOG REPAIR DTLS
SCALE: NO SCALE



LIGHTLY CLEAN EXISTING TIMBERS, TYPICAL.

INSTALL NEW WINDOWS IN EXISTING OPENINGS.

F2 IMAGE
SCALE: NO SCALE



AREA SHALL RECEIVE NEW T&G ROOF DECK.

REPAIR LOG - SEE DTL J9 FOR TYPICAL DETAILS AND NOTES.

ADD MISSING TIMBER TO MATCH ORIGINAL.

F5 IMAGE
SCALE: NO SCALE



REMOVE DETERIORATED LOGS AND REPLACE WITH NEW TO MATCH EXISTING.

LIGHTLY CLEAN EXISTING TIMBERS, TYPICAL.

F9 IMAGE
SCALE: NO SCALE



REPAIR LOG - SEE DTL J9 FOR TYPICAL DETAILS AND NOTES.

LIGHTLY CLEAN EXISTING TIMBERS, TYPICAL.

D2 IMAGE
SCALE: NO SCALE



REPAIR EXISTING CRACK - MORTAR SHALL MATCH EXISTING IN COLOR AND HARDNESS - SEE MORTAR ANALYSIS SPECS. FINISH TO MATCH ADJACENT TEXTURE AND APPEARANCE.

D5 IMAGE
SCALE: NO SCALE



LIGHTLY CLEAN EXISTING TIMBERS, TYPICAL.

REMOVE DETERIORATED LOGS AND REPLACE WITH NEW TO MATCH EXISTING.

D9 IMAGE
SCALE: NO SCALE



REMOVE EXISTING SHINGLES AND SHEATHING. INSTALL NEW, WOOD TONGUE AND GROOVE DECKING AND ASPHALT SHINGLES.

LIGHTLY CLEAN EXISTING TIMBERS, TYPICAL.

A2 IMAGE
SCALE: NO SCALE



REMOVE EXISTING WOOD SHEATHING. INSTALL NEW, WOOD TONGUE AND GROOVE DECKING.

REMOVE EXISTING CONDUIT AND JUNCTION BOXES. REMOVE EXISTING, DAMAGED 2X MEMBERS AT BOTTOM OF TRUSSES.

EXISTING TRUSSES TO REMAIN - CLEAN BY LIGHT SODA BLASTING, BOTH WOOD AND STEEL COMPONENTS. PROTECT WITH TRANSPARENT FINISH OR OIL PAINT.

A5 IMAGE
SCALE: NO SCALE



DEMO EXISTING ELECTRICAL.

INFILL REMAINDER OF CEILING TO MATCH ORIGINAL. CLEAN AND SEAL EXISTING.

A9 IMAGE
SCALE: NO SCALE